SYSTEMS FOR PERFECT INSTALLATIONS.

UZIN FOR LVT.

THE RIGHT SYSTEM FOR EVERY SITUATION.

When it comes to luxury vinyl tiles (LVT), UZIN has pioneered systems for a long time. In 2000 the first system for installing LVT with UZIN KE 66, UZIN NC 170 and UZIN PE 360 was on the market and set the standard. Even today, it is the most popular of its kind.

Typically with UZIN, new innovations followed, such as the switchTec® dry adhesive technology for quick and easy LVT installation and removal. UZIN levelling compounds were also enhanced with the LevelPlus Effect, allowing for the perfect installation of LVT. Last but not least the constantly growing assortment of machines and special tools from WOLFF as well as the cleaning and maintenance products from UZIN Care round off the LVT product portfolio for perfect installations of LVT.

Thanks to almost 20 years of know-how in the development of systems for LVT, UZIN now has a complete range, which offers the best solutions for every situation. Simply select the right option for you, depending on the project, situation, application and preference for perfect result for every situation.

PERFECTION IS ROOTED IN TRADITION.

Photo credits: W. & L. Jordan GmbH

UZIN KE 66

UZIN NC 170 LevelStar

UZIN PE 360 PLUS

Cementitious screed

WET BONDING

The proven system

UZIN KE 66 | UZIN NC 170 LevelStar* | UZIN PE 360 PLUS*

With UZIN‘s conventional system, tried and tested for almost 20 years, LVT can be installed perfectly in 90% of cases. It is no surprise that it is one of the most popular systems of its kind, as confirmed by the latest customer survey conducted by the German trade magazine FussbodenTechnik.

UZIN KE 66

Fibre-Reinforced Wet Adhesive

Incorporated microfibres guarantee the dimensionally stable bonding of LVT and reduce residual impression to a minimum. In addition and as usual, UZIN KE 66 meets all requirements regarding EMICODE®EC1 PLUS and the Blue Angel.

Benefits:

+ high shear strength adhesive resulting in reliable and dimensionally stable installation
+ no joint development
+ excellent adhesion for smooth floor covering
+ recommended by leading floor covering manufacturers

Art.-No. 11722	14 kg drum
Art.-No. 64886	6 kg drum

ÖKOLINE

* More information on the primer UZIN PE 360 PLUS and premium levelling compound UZIN NC 170 LevelStar is provided on page 17.

WET BONDING

The high-performance system

UZIN KE 68 | UZIN NC 170 LevelStar* | UZIN PE 360 PLUS*

A system with a special adhesive is recommended for areas subject to heavy wear, such as high temperatures or temperature fluctuations, frequent wet cleaning or high mechanical loads.

UZIN KE 68

1-Component Hybrid Adhesive

Ready to use and user-friendly, this special adhesive is suitable for areas with higher loads and requirements. UZIN KE 68 provides excellent dimensional stability, especially when exposed to heat or when the joints are subject to water from above. UZIN KE 68 is also suitable for areas with higher mechanical loads. In addition, UZIN KE 68 meets all requirements regarding EMICODE® EC1 R PLUS and the Blue Angel.

Benefits:
+ high dimensional stability
+ high temperature resistance
+ ready to use
+ good ridge formation

Art.-No. 87429	14 kg drum

ÖKOLINE

* More information on the primer UZIN PE 360 PLUS and premium levelling compound UZIN NC 170 LevelStar is provided on page 17.

QUALITY STANDS UP TO EVERYTHING.

Photo credits: W. & L. Jordan GmbH

UZIN KE 68

UZIN NC 170 LevelStar

UZIN PE 360 PLUS

Cementitious screed

PRACTICALITY LEAVES NO TRACES.

Photo credits: W. & L. Jordan GmbH

UZIN KE 68

UZIN NC 175 NEU

UZIN NC 170 LevelStar

UZIN PE 630

Floorboards

Ceramic tiles

WET BONDING

The system for old substrates

UZIN KE 68* | UZIN NC 175 LevelStar | UZIN PE 630

Installation and downtime should be as short as possible when renovating floors. UZIN‘s time-saving and reliable system consists of a quick primer and self-levelling compound with Level Plus Effect S which saves double the time when installing LVT.

UZIN PE 630

2-Component Trowel-Applied Primer

Highly viscous and very fast drying 2-component dispersion cement primer with its hard resilient properties is perfectly suited for substrates containing joints and in need of renovation, such as tiles or floorboards.

Additional benefits:
+ fills, closes, and smooths in one application
+ excellent adhesion to substrate

Art.-No. 36612	A+B	16 kg drum

UZIN NC 175 NEU

Fibre-Reinforced Levelling Compound

Self-levelling, fibre-reinforced cementitious levelling compound with Level Plus Effect S for thicknesses up to 20 mm.

Benefits:
+ superior flow characteristics, smooth floor coverings can be bonded directly and without fine levelling
+ can be applied using a screed rake (notch size R 3)
+ provides a stabilising levelling coat, unsound constructions can be left intact

Art.-No. 1136	25 kg bag

ÖKOLINE C40 F10 LEED contributing product

* More information on the hybrid adhesive UZIN KE 68 is available on page 7.

DRY ADHESIVE SYSTEM

The system for new substrates

Sigan Elements Plus | Planus* | UZIN NC 170 LevelStar* | UZIN PE 360 PLUS*

Adhesive tape system for LVT onto levelled substrates or metal is the most practical method if a later removal of the floor covering without residues is desired. The floor coverings are installed quickly, without dirt, odour or noise using special film adhesive. Floors can even be changed during ongoing operations, as they can be walked on and set to traffic immediately.

SIGAN ELEMENTS PLUS

High-Performance Adhesive

With Sigan Elements Plus you not only install LVT quickly, but it is also very dimensionally very stable. The floor covering can be removed easily and without machines, and this guarantees no residues are left on the substrate.

Benefits:
+ no working times, high output of m² per hour
+ immediate full setting to traffic
+ easy removal without residues in combination with special Planus primer
+ no time pressure when working

Art.-No. 71280	0.75 m × 25 m Sigan Elements = 18.75 m²
	incl. 0.05 m × 25 m Sigan Elements Plus tape = 1.25 m²

* More information on the primer UZIN PE 360 PLUS and premium levelling compound UZIN NC 170 LevelStar is provided on page 17. All information on Planus is available at: www.uzin.com/planus.

KEEPING THE FUTURE IN MIND.

Photo credits: W. & L. Jordan GmbH

Sigan Elements Plus

Planus

UZIN NC 170 LevelStar

UZIN PE 360 PLUS

Cementitious screed

EVERYTHING GOES SMOOTHLY WHILE TIME IS SAVED.

Photo credits: W. & L. Jordan GmbH

Sigan Elements

Old floor covering

DRY ADHESIVE SYSTEM

The All-in-One System for old substrates

Sigan Elements

If LVT is to be installed quickly and removably on existing smooth floor coverings, Sigan Elements is ideal. Completely without machines, dirt, smell or noise, flooring can be bonded directly to the floor covering. Thanks to its immediate readiness for walk-on and setting to traffic, floors can even be changed during operation.

SIGAN ELEMENTS

High-Performance Adhesive

With the patented special adhesive film, you can bond the new LVT directly onto the existing floor coverings and if necessary, remove it without leaving any residue – the substrate remains unchanged. Simple, fast and clean.

Benefits:

+ no working times, high output of m² per hour
+ can be installed on existing floor coverings (PVC, linoleum, etc.)
+ immediately ready for full loads, installation during running operations
+ easily removable without residues
+ no time pressure when working on doors etc.

Art.-No. 71279	0.75 m × 25 m Sigan Elements = 18.75 m²
	incl. 0.05 m × 25 m Sigan Elements tape = 1.25 m²

CLICK

The system for click LVT

UZIN RR 620 | UZIN NC 170 LevelStar* | UZIN PE 360 PLUS*

When floating LVT are installed, attention should be paid to the evenness of the substrate, as unevenness can become noticeable or even visible in the floor covering over time. UZIN levelling compounds with Level Plus Effect S offer the best basis here. For best results in terms of impact sound absorption, it is also advisable to install a system-related underlay.

UZIN RR 620

Self-Adhesive, Acoustic Grade Underlay

One-sided self-adhesive and acoustic grade, the underlay is ideal for the installation of LVT.

Benefits:
+ stress-relief
+ impact sound reducing
+ self-adhesive to substrate

Art.-No. 87385 — 1 roll = 7.5 m²

AVAILABLE FROM SPRING 2019.

* More information on the primer UZIN PE 360 PLUS and premium levelling compound UZIN NC 170 LevelStar is provided on page 17.

QUIETNESS – WITH EACH STEP.

UZIN RR 620

UZIN NC 170 LevelStar

UZIN PE 360 PLUS

Cementitious screed

Photo credits: W. & L. Jordan GmbH

THE BASE IS IMPORTANT.

Photo credits: W. & L. Jordan GmbH

UZIN NC 170 LevelStar

UZIN PE 360 Plus

Cementitious screed

LOOSE LAY

The good base system

UZIN NC 170 LevelStar | UZIN PE 360 PLUS

The special feature of loose lay installations is, as the name suggests, that the floor covering elements are installed in a floating manner, without adhesive. Any unevenness in the substrate must be levelled if perfect results are to be obtained. UZIN levelling compounds with Level Plus Effect S offer the perfect solution. In combination with the right primer, the perfect base for LVT is created.

UZIN NC 170 LEVELSTAR

Premium Levelling Compound

The self-levelling, extremely smooth cementitious levelling compound with Level Plus Effect S produces best results. It can also be used at any depth.

Benefits:
+ quickly ready for covering
+ superior flow characteristics, even better results with installed flooring surfaces

Art.-No. 1062	25 kg bag
Art.-No. 21446	1000 kg Big Bag

UZIN PE 360 PLUS

Ready-to-use Prime

The fast drying dispersion primer UZIN PE 360 PLUS increases bonding strength and binds surface dust.

Additional benefits:
+ excellent penetration, simultaneous film forming
+ reduces absorbency of the substrate

Art.-No. 77299	10 kg CUBE it simple

PERFECT PORTFOLIO.

What makes our range of luxury floor covering so special? In order to achieve perfect installation results, we offer you wet and dry adhesives, primers and levelling compounds, as well as a continuously growing range of machines and special tools from WOLFF, supplemented by universal adhesive tape for flooring strips and skirting boards. The cleaning and care products from UZIN Care round off the product portfolio for the efficient installation of LVT.

This makes UZIN the only supplier in the world to offer you a complete product range from installation to maintenance of LVT.

THE BEST TOOLS FOR LVT INSTALLATION

The all-round carefree kit

The Wolff Design Collection offers a packaged range of tools for the technically perfect installation of luxury floor coverings. All of the tools have a very robust construction and allow work to be carried out comfortably and safely, making them tailor-made for this area.

WOLFF DESIGN COLLECTION

Linocut seam cutter:
Perfect seams for all resilient and needle punch floor coverings. Different stops for a range of applications.

FasTrimmer:
Comes with stop for bevelling floor backing and cleaning folded edges.

Duo pressure roller:
To roll down the floor covering – now with new stable design.

Mitre-box scissors for luxury floor covering:
Double action, with stop.

Art.-No. 74843	Collection in a case

BONDING SKIRTING

Installing skirting quickly, reliably and without solvents? With UZIN U-Tack you have a clear advantage over wet-bonding, hot-bonding, nailing and bonding with solvent-based adhesives.

UZIN U-TACK

A perfect finish –
double-sided adhesive tape for skirting boards

The transparent, double-sided universal adhesive tape lets you install skirting board and floor covering strips easily, quickly,clean and environmentally compatible. UZINU-Tack does not become brittle, bonds securely and durable.

Benefits:
+ universal use
+ for time-saving application
+ solvent-free / complies with TRGS 610 (technical regulation for dangerous substances)

Art.-No. 84274 (25 mm × 50 m)	**7 rolls UZIN U-Tack 25**
Art.-No. 84274 (40 mm × 50 m)	**6 rolls UZIN U-Tack 40**
Art.-No. 84273 (50 mm × 50 m)	**5 rolls UZIN U-Tack 50**
Art.-No. 84272 (85 mm × 50 m)	**3 rolls UZIN U-Tack 85**

PROFESSIONAL CARE FOR YOUR FLOOR

With the UZIN Care product range, UZIN also offers a solution for sealing and retouching scratches through the proven combination of UZIN Turbo Protect Plus and UZIN Refresher Set.

UZIN TURBO PROTECT PLUS

Premium 2-Component Coating

UZIN Turbo Protect Plus is a 2-component, water-based sealing lacquer which, thanks to its outstanding resistance to cleaning agents and disinfectants, provides floor coverings with durable protection. The coating is ideal for the long-term protection of the initial care and renovation of resilient flooring surfaces.

Benefits:
+ improves maintenance cleaning
+ cost and time saving due to one-off spreading
+ quick drying and setting
+ improves surfaces quality

Art.-No. 79377	canister 4 l & bottle 1 l (hardener)

UZIN REFRESHER SET

2-Component Scratch Concealer

The UZIN Refresher Set is a 2-component product for repairing minor scratches and signs of wear on resilient floor coverings.

Benefits:
+ partial repair of the floor covering possible
+ saves complete renovation
+ no change of gloss level on surface

Art.-No. 80436	canister 80 ml & bottle 20 ml (hardener)



„With UZIN product systems, you’re best positioned for installing LVT.“

Valentin Zeiler, UZIN Application Technology

UZIN | A brand of Uzin Utz Group
Uzin Utz AG | Dieselstrasse 3 | 89079 Ulm
Phone +49 (0)731 4097-0 | Fax +49 (0)731 4097-110
Email info@uzin.com | www.uzin.com

01.2019/500/panama/eR